



BLUE OCEAN
wash[™]

Blue Ocean Oil Supply (PTY) Ltd
Suite 106, Beacon Rock
1st Floor
21 Lighthouse Road
Umhlanga
4319
Tel: +27 (0)31 832-3934
sales@blueoceanoil.co.za

BLUE OCEAN WASH

WATER BASED ALKALINE DEGREASER

DESCRIPTION:

Blue Ocean Wash degreaser is a blue alkaline cleaning agent, dilutable with water. It contains grease cutters, emulsifiers and penetrants for efficient oil and grease removal. **Blue Ocean Wash** degreaser is extremely versatile and can be used safely on most surfaces for removing a wide variety of soils.

APPLICATIONS:

- Oil casing, Drill pipes, Gearboxes, Engines, Pumps, Compressors, Rig floors and walls, Cables, Tools, Filters etc.
- Any greasy floors and surfaces including food processing plants, specifically acid resistant tiles.
- Industrial and Domestic kitchens for cleaning stoves, tiles, working surfaces, sinks etc.

Blue Ocean Wash degreaser can be applied by high-pressure foamers and steam cleaning equipment, or simply by hand with the aid of cloth, mop or brush.

ADVANTAGES:

1. Environmentally responsible – Green Seal[™] certified.
2. Biodegradable > 80% OECD 301 B Test.
3. High Flashpoint of 86°C.
4. Harmful Solvent & Glycol free.
5. High efficacy.
6. Economical – concentrated formula.
7. High foaming.
8. Free rinsing.
9. Easily dispersed in foam, high-pressure and steam cleaning equipment.

* This product meets Green Seal[™] Standard GS-34 based on effective performance and protective limits on: VOCs, ozone depleting chemicals, and human & environmental toxicity. GreenSeal.org.

USAGE GUIDELINES:

For general degreasing:

Blue Ocean Wash degreaser can be diluted 10 to 20 ml per litre (1.25%) with cold or warm water depending on the severity of soil to be removed. Clean with cloth or brush and rinse with water.

SAFETY PRECAUTIONS:

Blue Ocean Wash degreaser contains alkaline material. Wear suitable gloves, apron, boots and eye protection during handling. Avoid contact with eyes and prolonged contact with skin. In case of accidental contact rinse freely with water and obtain medical attention.

Refer to MSDS

TECHNICAL DATA:

- | | |
|-------------------------|--|
| • Physical State | Liquid |
| • Appearance | Clear blue liquid |
| • Flashpoint | 86°C |
| • Danger Symbol | Irritant |
| • PH | 10.9 max |
| • Specific Gravity (SG) | 1.02 approximately |
| • Solubility in water | -- |
| • Stability | Stable to continued freeze / thaw cycles |
| • Packaging | 25L, 200L & 1000L |

Blue Ocean Wash degreaser contains free alkalinity, care should be taken on painted surfaces. Aluminium surfaces may become dull after continued cleaning.



* This product meets Green Seal™ Standard GS-34 based on effective performance and protective limits on: VOCs, ozone depleting chemicals, and human & environmental toxicity. GreenSeal.org.

